



Designation	Dimensions				Mounting dimensions				Weight
Z (RS)	d	D	B	r min	da	da	Da	ra	
ZZ (2RS)	(mm)				min	max	max	max	(kg)
SS684	4	9	2.5	0.1	4.8	/	8.2	0.1	0.0006
SS694	4	11	4	0.15	5.2	/	9.8	0.15	0.0017
SS604	4	12	4	0.2	5.6	/	10.4	0.2	0.0023
SS624	4	13	5	0.2	5.6	/	11.4	0.2	0.003
SS634	4	16	5	0.3	6	/	14	0.3	0.0052
SS685	5	11	3	0.15	6.2	/	9.8	0.15	0.0012
SS695	5	13	4	0.2	6.6	/	11.4	0.2	0.0025
SS605	5	14	5	0.2	6.6	/	12.4	0.2	0.0035
SS625	5	16	5	0.3	7	/	14	0.3	0.005
SS635	5	19	6	0.3	7	/	17	0.3	0.0086
SS686	6	13	3.5	0.15	7.2	/	11.8	0.15	0.0019
SS696	6	15	5	0.2	7.6	/	13.4	0.2	0.0039
SS606	6	17	6	0.3	8	/	15	0.3	0.006
SS626	6	19	6	0.3	8	/	17	0.3	0.0082
SS636	6	22	7	0.3	8	/	20	0.3	0.014
SS687	7	14	3.5	0.15	8.2	/	12.8	0.15	0.0022
SS697	7	17	5	0.3	9	/	15	0.3	0.0053
SS607	7	19	6	0.3	9	/	17	0.3	0.0077
SS627	7	22	7	0.3	9	/	20	0.3	0.0127
SS637	7	26	9	0.3	9	/	24	0.3	0.024
SS688	8	16	4	0.2	9.6	/	14.4	0.2	0.0033
SS698	8	19	6	0.3	10	/	17	0.3	0.0072
SS608	8	22	7	0.3	10	/	20	0.3	0.012
SS628	8	24	8	0.3	10	/	22	0.3	0.017
SS638	8	28	9	0.3	10	/	26	0.3	0.028
SS689	9	17	4	0.2	10.6	/	15.4	0.2	0.0035
SS699	9	20	6	0.3	11	/	18	0.3	0.0085
SS609	9	24	7	0.3	11	/	22	0.3	0.015
SS629	9	26	8	0.3	11	/	24	0.3	0.02
SS639	9	30	10	0.6	13	/	26	0.6	0.037
SS6800	10	19	5	0.3	12	12	17	0.3	0.005
SS6900	10	22	6	0.3	12	12.5	20	0.3	0.009
SS6000	10	26	8	0.3	12	13	24	0.3	0.018
SS6200	10	30	9	0.6	14	16	26	0.6	0.032
SS6300	10	35	11	0.6	14	16.5	31	0.6	0.052
SS6801	12	21	5	0.3	14	14	19	0.3	0.006
SS6901	12	24	6	0.3	14	14.5	22	0.3	0.01
SS16001	12	28	7	0.3	14	/	26	0.3	0.019
SS6001	12	28	8	0.3	14	15.5	26	0.3	0.022
SS6201	12	32	10	0.6	16	17	28	0.6	0.037
SS6301	12	37	12	1	17	18	32	1	0.06
SS6802	15	24	5	0.3	17	17	22	0.3	0.007
SS6902	15	28	7	0.3	17	17	26	0.3	0.015
SS16002	15	32	8	0.3	17	/	30	0.3	0.027
SS6002	15	32	9	0.3	17	19	30	0.3	0.031
SS6202	15	35	11	0.6	19	20.5	31	0.6	0.045
SS6302	15	42	13	1	20	22.5	37	1	0.083
SS6803	17	26	5	0.3	19	19	24	0.3	0.007
SS6903	17	30	7	0.3	19	19.5	28	0.3	0.017
SS16003	17	35	8	0.3	19	/	33	0.3	0.033
SS6003	17	35	10	0.3	19	21.5	33	0.3	0.041
SS6203	17	40	12	0.6	21	23.5	36	0.6	0.067
SS6303	17	47	14	1	22	25.5	42	1	0.11
SS6403	17	62	17	1.1	23.5	/	55.5	1	0.27
SS6804	20	32	7	0.3	22	22.5	30	0.3	0.017
SS6904	20	37	9	0.3	22	24	35	0.3	0.037
SS16004	20	42	8	0.3	22	/	40	0.3	0.048
SS6004	20	42	12	0.6	24	25.5	38	0.6	0.068
SS6204	20	47	14	1	25	26.5	42	1	0.11
SS6304	20	52	15	1.1	26.5	28	45.5	1	0.15
SS6404	20	72	19	1.1	26.5	/	65.5	1	0.4
SS6805	25	37	7	0.3	27	27	35	0.3	0.021

SS6905	25	42	9	0.3	27	28.5	40	0.3	0.042
SS16005	25	47	8	0.3	27	/	45	0.3	0.059
SS6005	25	47	12	0.6	29	30	43	0.6	0.079
SS6205	25	52	15	1	30	32	47	1	0.13
SS6305	25	62	17	1.1	31.5	36	55.5	1	0.24
SS6405	25	80	21	1.5	33	/	72	1.5	0.53
SS6806	30	42	7	0.3	32	32	50	1	0.024
SS6906	30	47	9	0.3	32	34	57	1	0.052
SS16006	30	55	9	0.3	32	42.5	65.5	1	0.087
SS6006	30	55	13	1	35	36.5	53	1	0.116
SS6206	30	62	16	1	35	38.5	60	1	0.2
SS6306	30	72	19	1.1	36.5	42.5	68.5	1	0.35
SS6406	30	90	23	1.5	54	/	82	2	0.74
SS6807	35	47	7	0.3	37	37	45	0.3	0.027
SS6907	35	55	10	0.6	39	39	51	0.6	0.075
SS16007	35	62	9	0.3	37	/	60	0.3	0.11
SS6007	35	62	14	1	40	41.5	57	1	0.15
SS6207	35	72	17	1.1	41.5	44.5	65.5	1	0.28
SS6307	35	80	21	1.5	43	47	72	1.5	0.46
SS6407	35	100	25	1.5	43	/	92	1.5	0.95
SS6808	40	52	7	0.3	42	42	50	0.3	0.03
SS6908	40	62	12	0.6	44	46	58	0.6	0.11
SS16008	40	68	9	0.3	42	/	66	0.3	0.13
SS6008	40	68	15	1	45	47.5	63	1	0.19
SS6208	40	80	18	1.1	46.5	50.5	73.5	1	0.37
SS6308	40	90	23	1.5	48	53	80	1.5	0.64
SS6408	40	110	27	2	49	/	101	2	1.23
SS6809	45	58	7	0.3	47	47.5	56	0.3	0.038
SS6909	45	68	12	0.6	49	50	64	0.6	0.13
SS16009	45	75	10	0.6	49	/	71	0.6	0.17
SS6009	45	75	16	1	50	53.5	70	1	0.24
SS6209	45	85	19	1.1	51.5	55.5	78.5	1	0.42
SS6309	45	100	25	1.5	53	61.5	92	1.5	0.83
SS6409	45	120	29	2	54	/	111	2	1.53
SS6810	50	65	7	0.3	52	52.5	63	0.3	0.05
SS6910	50	72	12	0.6	54	55	68	0.6	0.14
SS16010	50	80	10	0.6	54	/	76	0.6	0.18
SS6010	50	80	16	1	55	58.5	75	1	0.26
SS6210	50	90	20	1.1	56.5	60	83.2	1	0.46
SS6310	50	110	27	2	59	68	101	2	1.06
SS6410	50	130	31	2.1	61	/	119	2	1.88
SS6811	55	72	9	0.3	57	59	70	0.3	0.08
SS6911	55	80	13	1	60	61.5	75	1	0.19
SS16011	55	90	11	0.6	59	/	86	0.6	0.26
SS6011	55	90	18	1.1	61.5	64	83.5	1	0.38
SS6211	55	100	21	1.5	63	66.5	92	1.5	0.62
SS6311	55	120	29	2	64	72.5	111	2	1.37
SS6411	55	140	33	2.1	66	/	129	2	2.29
SS6812	60	78	10	0.3	62	64	76	0.3	0.1
SS6912	60	85	13	1	65	66	80	1	0.19
SS16012	60	95	11	0.6	64	/	91	0.6	0.28
SS6012	60	95	18	1.1	66.5	69	88.5	1	0.41
SS6212	60	110	22	1.5	68	74.5	102	1.5	0.78
SS6312	60	130	31	2.1	71	79	119	2	1.72
SS6412	60	150	35	2.1	71	/	139	2	2.77
SS6813	65	85	10	0.6	69	69	81	0.6	0.13
SS6913	65	90	13	1	70	71.5	85	1	0.22
SS16013	65	100	11	0.6	69	/	96	0.6	0.3
SS6013	65	100	18	1.1	71.5	73	93.5	1	0.44
SS6213	65	120	23	1.5	73	80	112	1.5	1
SS6313	65	140	33	2.1	76	85.5	129	2	2.11
SS6814	70	90	10	0.6	74	74.5	86	0.6	0.13
SS6914	70	100	16	1	75	77.5	95	1	0.35
SS16014	70	110	13	0.6	74	/	106	0.6	0.44
SS6014	70	110	20	1.1	76.5	80.5	103.5	1	0.61
SS6214	70	125	24	1.5	78	84	117	1.5	1.09
SS6314	70	150	35	2.1	81	92	139	2	2.57
SS6815	75	95	10	0.6	79	79.5	91	0.6	0.15
SS6915	75	105	16	1	80	82	100	1	0.36
SS16015	75	115	13	0.6	79	/	111	0.6	0.46
SS6015	75	115	20	1.1	81.5	85.5	108.5	1	0.65
SS6215	75	130	25	1.5	83	90	122	1.5	1.19
SS6816	80	100	10	0.6	84	84.5	96	0.6	0.15
SS6916	80	110	16	1	85	87.5	105	1	0.39
SS16016	80	125	14	0.6	84	/	121	0.6	0.62
SS6016	80	125	22	1.1	86.5	91	118.5	1	0.87
SS6216	80	140	26	2	89	95.5	131	2	1.42
SS6817	85	110	13	1	90	90.5	105	1	0.26
SS6917	85	120	18	1.1	91.5	94.5	113.5	1	0.55
SS16017	85	130	14	0.6	89	/	126	0.6	0.65
SS6017	85	130	22	1.1	91.5	96	123.5	1	0.92
SS6217	85	150	28	2	94	102	141	2	1.76

SS6918	90	125	18	1.1	96.5	98.5	118.5	1	0.59
SS16018	90	140	16	1	95	/	135	1	0.87
SS6018	90	140	24	1.5	98	103	132	1.5	1.19
SS6819	95	120	13	1	100	101.5	115	1	0.3
SS6919	95	130	18	1.1	101.5	103.5	123.5	1	0.6
SS16019	95	145	16	1	100	/	140	1	0.9
SS6019	95	145	24	1.5	103	108.5	137	1.5	1.23
SS6820	100	125	13	1	105	105.5	120	1	0.31
SS6920	100	140	20	1.1	106.5	111	133.5	1	0.83
SS16020	100	150	16	1	105	/	145	1	0.95
SS6020	100	150	24	1.5	108	112.5	142	1.5	1.29
SS6821	105	130	13	1	110	110.5	125	1	0.32
SS6921	105	145	20	1.1	111.5	116	138.5	1	0.86
SS6822	110	140	16	1	115	117	135	1	0.5
SS6922	110	150	20	1.1	116.5	121	143.5	1	0.89
SS6824	120	150	16	1	125	127	145	1	0.54